

FITTINGS - PLASTIC CLIP-IN EXACT AIR REGULATOR

AdvantageAir



CLIP-IN EAR



CLIP-IN EAR WITH NECK
ADAPTERS



CLIP-IN EAR CONNECTED TO CUSHION
HEAD ADAPTER

FEATURES

- Low profile inline damper.
- Can be easily transported in breakdown form.
- Easily modified to suit different flexible duct sizes.
- Clips into plastic cushion head adapter.
- Can be internally insulated.
- Can incorporate manual or motorised dampers.
- Integral hanging points
- Suitable for use as a reducer or connector.

CONSTRUCTION

- All components are manufactured from a combination of industrial plastics.
- Internal insulation is moulded polystyrene.
- Additional external insulation can be applied for humid climate applications.

APPLICATIONS


- reverse cycle air conditioning.
- heating.
- ventilation.
- evaporative cooling.

OPTIONAL EXTRAS

The following components are optional extras and are priced separately and must be specified at the time of ordering.

- Insulation.
- Damper blades and gears.
- Manual damper handles.
- Motorised damper shafts.
- Adaptors, blank plates and deflectors.
- Plastic cushion head box

DIMENSIONS



FLEXIBLE DUCT SIZES AVAILABLE	INLET SPIGOT A	OUTLET SPIGOT B
300 DIA	YES	YES
250 DIA	YES	YES
200 DIA	YES	YES
150 DIA	YES*	YES*
CLIP-IN DOUBLE ADAPTOR	YES	YES
CUSHION HEAD BOX	NO	YES

* The outlet can be fitted with two (Ø150mm) neck adapters by using a CLIP-IN DOUBLE ADAPTER.


Important: Both Ø150mm outlets would be controlled by the same damper.

CLIP-IN EXACTAIR REGULATOR (C-EAR)

CEAR

*PLEASE CIRCLE SELECTION REQUIRED

150	200
250	300



INSULATION	YES
	NO

PLASTIC CUSHION HEAD ADAPTOR

NO SPIGOT REQUIRED
IF CONNECTED TO
CUSHION HEAD ADAPTOR

OR

150
150
200
250
300

MOTOR	BLACK
	GREY
	GREEN
	RED
	YELLOW

MANUAL
NONE

DAMPERS

BLACK	240V	ADM	
GREY	24V	CLIP24	GENIII & ZS
GREEN	24V	ADM24GREENP	CAP
RED	24V	ADM24S	VAV
YELLOW	24V	ELV24	

OPPOSED BLADE DAMPER PERFORMANCE (2 BLADE)

